

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 2.0

Print Date 09/20/2012

Revision Date 09/07/2012

MSDS Number 350000004807
SITE_FORM Number
30000000000000004116.004

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Trade name : OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Use of the Substance/Mixture : Insect Repellent

Company : S.C. Johnson and Son, Limited
1 Webster Street
Brantford ON N3T 5R1

Emergency telephone number : 24 Hour Transport & Medical Emergency Phone (866) 231-5406
24 Hour International Emergency Phone (952) 852-4647
24 Hour Canadian Transport Emergency Phone (CANUTEC) (613) 996-6666

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : clear / aerosol / Alcohol Odor

Immediate Concerns

: Caution
FLAMMABLE:
CAUSES EYE IRRITATION.
Harmful if swallowed.
Keep away from heat, sparks and flame.
Do not puncture or incinerate.
Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.
Avoid contact with eyes and lips.
Contents under pressure.

Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : Causes:
Moderate eye irritation

Skin : May cause skin reactions in rare cases.

Inhalation : May cause nose, throat, and lung irritation.
Inhalation may cause central nervous system effects.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 2.0

Print Date 09/20/2012

Revision Date 09/07/2012

MSDS Number 350000004807
SITE_FORM Number
30000000000000004116.004

- Ingestion : Harmful if swallowed.
Causes headache, drowsiness or other effects to the central nervous system.
- Aggravated Medical Condition : Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects
Do not apply to cuts or irritated skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	30.00 - 60.00
N,N-Diethyl-m-toluamide	134-62-3	10.00 - 30.00
Butane	106-97-8	1.00 - 5.00
Propane	74-98-6	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

- Eye contact : Remove contact lenses. Flush immediately with plenty of water for at least 15 to 20 minutes. Get medical attention if irritation develops and persists.
- Skin contact : Wash off immediately with plenty of water. Get medical attention if irritation develops and persists. If you suspect a reaction to this product, discontinue use and remove contaminated clothing.
- Inhalation : Remove to fresh air. If breathing is affected, get medical attention.
- Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 2.0

Print Date 09/20/2012

Revision Date 09/07/2012

MSDS Number 350000004807
SITE_FORM Number
30000000000000004116.004

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during firefighting : Burns with colourless flame. Aerosol Product - Containers may rocket or explode in heat of fire. Do not allow run-off from fire fighting to enter drains or water courses.
- Further information : Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.
- Flash point : -7 °C
19.4 °F
- Lower explosion limit : Note: no data available
- Upper explosion limit : Note: no data available
- NFPA Classification : NFPA Level 2 Aerosol

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Remove all sources of ignition.
Wear personal protective equipment.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
Use appropriate containment to avoid environmental contamination.
Outside of normal use, avoid release to the environment.
- Methods for cleaning up : If damage occurs to aerosol can:
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 2.0

Print Date 09/20/2012

Revision Date 09/07/2012

MSDS Number 350000004807
SITE_FORM Number
30000000000000004116.004

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Do not puncture or incinerate.
Avoid contact with eyes and lips.
Avoid breathing vapors, mist or gas.
For personal protection see section 8.
Do not spray toward face.
Do not use in areas without adequate ventilation.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Take measures to prevent the build up of electrostatic charge.

Storage

Requirements for storage areas and containers : Keep away from food, drink and animal feedingstuffs.
Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.
Keep in a dry, cool and well-ventilated place.

Other data : Stable under recommended storage conditions.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 2.0

Print Date 09/20/2012

Revision Date 09/07/2012

MSDS Number 350000004807
SITE_FORM Number
30000000000000004116.004

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL
Butane	106-97-8	-	1,000 ppm	-	ACGIH TWA
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection : Use only with adequate ventilation.
Do not spray in enclosed areas.

Hand protection : No special requirements.

Eye protection : Safety glasses with side-shields

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol
Color : clear
Odor : Alcohol Odor
pH : no data available

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 2.0

Print Date 09/20/2012

Revision Date 09/07/2012

MSDS Number 350000004807
SITE_FORM Number
30000000000000004116.004

Boiling point	:	no data available
Freezing point	:	no data available
Flash point	:	-7 °C 19.4 °F
Evaporation rate	:	no data available
Flammability (solid, gas)	:	no data available
Auto-ignition temperature	:	no data available
Lower explosion limit	:	no data available
Upper explosion limit	:	no data available
Vapour pressure	:	no data available
Density	:	no data available
Water solubility	:	slightly soluble
Partition coefficient: n- octanol/water	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available
Relative vapor density	:	no data available
Volatile Organic Compounds Total VOC (wt. %)*	:	64.2 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations

10. STABILITY AND REACTIVITY

Conditions to avoid	:	Heat, flames and sparks.
Materials to avoid	:	Strong oxidizing agents
Hazardous decomposition products	:	Thermal decomposition can lead to release of irritating gases and vapours.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 2.0

Print Date 09/20/2012

Revision Date 09/07/2012

MSDS Number 350000004807
SITE_FORM Number
30000000000000004116.004

Thermal decomposition : Note: no data available

Hazardous reactions : Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50
Measured
3,735 mg/kg

Acute inhalation toxicity : LC50
Measured
> 2.18 mg/l

Acute dermal toxicity : LD50
Measured
> 2,000 mg/kg

Chronic effects

Carcinogenicity : no data available

Mutagenicity : None Anticipated

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : Substances is not a sensitizer.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects : no data available

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 2.0

Print Date 09/20/2012

Revision Date 09/07/2012

MSDS Number 350000004807
SITE_FORM Number
30000000000000004116.004

13. DISPOSAL CONSIDERATIONS

PESTICIDAL WASTE:

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Land transport

U.S. DOT and Canadian TDG Surface Transportation:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2.1

UN number 1950

Packaging group: None.

Note: Limited quantities derogation may be applicable to this product, please check transport documents.

Sea transport

IMDG:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2

UN number: 1950

Packaging group: None.

EmS: F-D, S-U

Note: Limited quantities derogation may be applicable to this product, please check transport documents.

Air transport

ICAO/IATA:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2.1

UN/ID No.: UN 1950

Packaging group: None.

Note: SC Johnson typically does not ship products via air. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723 P.C.P. ACT)

Version 2.0

Print Date 09/20/2012

Revision Date 09/07/2012

MSDS Number 350000004807
SITE_FORM Number
30000000000000004116.004

15. REGULATORY INFORMATION

- Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
- Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).
- California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.
- Canada Regulations : This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. OTHER INFORMATION

HMIS Ratings

Health	2
Flammability	4
Reactivity	0

NFPA Ratings

Health	2
Fire	4
Reactivity	0
Special	-

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:

SC Johnson Global Safety Assessment &
Regulatory Affairs (GSARA)

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



**OFF!® DEEP WOODS® 3 INSECT REPELLENT (REG NO. 24723
P.C.P. ACT)**

Version 2.0

Print Date 09/20/2012

Revision Date 09/07/2012

MSDS Number 350000004807
SITE_FORM Number
30000000000000004116.004